



ADHESIVE & SUNDRY GUIDE

BROADLOOM

Broadloom Adhesive			Price
Shaw 1000	1000R / D1000	<ul style="list-style-type: none"> • Multi purpose adhesive • 8-10 yds/gal with 1/8" x 1/8" x 1/8" U-notch trowel • 4 gallons • 43 lbs (48/pallet) • 5 lbs/85% RH 	\$
Shaw 1200	1200R / D1200	<ul style="list-style-type: none"> • Multipurpose adhesive • 8-10 yds/gal with 1/8" x 1/8" x 1/8" U-notch trowel • 4 gallons • 45 lbs (48/pallet) • 5 lbs/85% RH 	\$
Shaw 1036	1036R / D1036	<ul style="list-style-type: none"> • Multi purpose containing Florsept Antimicrobial • 8-10 yds/gal with 1/8" x 1/8" x 1/8" U-notch trowel • 4 gallons • 43 lbs (48/pallet) • 5 lbs/85% RH 	\$
Shaw 3800	3800R / D3800	<ul style="list-style-type: none"> • Multi-purpose high moisture/EcoWorx® broadloom adhesive • Direct glue: 8-10 sq yds/gal with 1/8" x 1/8" x 1/8" U-notch trowel • 4 gallons • 45 lbs (48/pallet) • 8 lbs/90% RH 	\$
Shaw 3600	3600R / D3600	<ul style="list-style-type: none"> • EcoWorx® BL adhesive with Florsept Antimicrobial • Patterned: 5-7 yds/gal with 1/8" x 1/8" x 1/8" U-notch trowel • Non-patterned: 8-9 yds/gal with 3/32" x 3/32" x 3/32" U-notch trowel • 4 gallons • 43 lbs (48/pallet) • 5 lbs/85% RH 	\$
Floor Grip	AVQNC / AVPHI	<ul style="list-style-type: none"> • Shaw Advantage • 40' x 150' = 55sq yds/roll • No patterned products • No unitary products • No EcoWorx broadloom products • No attached cushion products 	\$

CUSHION


Cushion			Price
DS-34		<ul style="list-style-type: none"> • A value option for FB100 or FB200 • Fiber construction • For spaces with lighter traffic • Designed for double glue carpet installation only • Contains 85% recycled content 	\$
CushionWorx	54829	<ul style="list-style-type: none"> • Provides underfoot comfort with 3 mm thickness and reduces sound transfer when installed with EcoWorx® Tile in commercial public spaces • IIC rating of 76 dB/STC rating of 66 dB • 76" x 150' • 40 lbs/roll • 105.6 sq.yds/roll 	\$
CushionWorx Lite	54830	<ul style="list-style-type: none"> • Premium polyethylene foam cushion underlayment for EcoWorx® Tile • Provides underfoot comfort with 2 mm thickness and reduces sound transfer when installed with EcoWorx® Tile in guest room spaces • IIC rating of 76 dB/STC rating of 66 dB • 76" x 120' • 20 lbs/roll • 84.4 sq.yds/roll 	\$
EcoFiberTouch 20	220FT / 221FT - 6'/12'	<ul style="list-style-type: none"> • Can be installed over wood or concrete floors or any application where the carpet is being stretched over cushion • 100% recycled synthetic fiber • Ideal for high traffic areas such as hospitality guest rooms, public spaces, offices and corridors • Designed for stretch-in carpet installation only 	\$
EcoFiberTouch 24	260FT - 6'		\$
EcoFiberTouch 28	302FT / 307FT - 6'/12'		\$
EcoFiberTouch 32	342FT / 341FT - 6'/12'		\$
EcoFiberTouch 40	430FT / 431FT - 6'/12'		\$

PERFORMANCE TURF & INDOOR/OUTDOOR

Performance Turf & Indoor/Outdoor Adhesive			Price
Shaw 7300	D7300	<ul style="list-style-type: none"> • Performance Turf adhesive and seam tape adhesive • Required for Performance Turf applications, commercial and for superior performance in residential applications • Full spread application: 4-6 yds/gal with 1/8" x 1/8" x 1/8" U-notch trowel • Seam tape application: 40 linear ft/gal • 15 lbs • 5 year warranty • 2 gallons once mixed, 2 part adhesive 	\$
Shaw 7303	D7303	<ul style="list-style-type: none"> • Performance Turf seam tape • 12" x 328' 	\$
Shaw 3800	3800R/D3800	<ul style="list-style-type: none"> • Universal indoor/outdoor adhesive • Suitable for indoor/outdoor products in residential, light commercial traffic, walk off and entry ways • Light commercial traffic, residential, walk off and entry way BL: 8-10 sq yds/gal with 1/8" x 1/8" x 1/8" U-notch trowel • Walk off, entry way TL: 12-15 sq yds/gal with 1/16" x 1/16" square notch trowel • 45 lbs (48/pallet) • 8 lbs./90% RH* • 1 year warranty • 4 gallons 	\$

	Performance Turf	Walk Off Entry Way BL	Walk Off Entry Way TL	Light Commercial Traffic Residential Indoor/Outdoor
Shaw 7300	✓	✓		✓
Shaw 3800		✓	✓	✓

CARPET TILE

Carpet Tile Adhesive			Price
Shaw 4151	D9150	<ul style="list-style-type: none"> • Pressure sensitive adhesive for modular products • 35-40 yds/gal with paint roller • 28-33 yds/gal with 1/16" x 1/32" x 5/64" U-notch trowel • 4 gallons • 40 lbs (36/pallet) • 10 lbs/99% RH 	\$
Shaw 5000	5000R / D5000	<ul style="list-style-type: none"> • Pressure sensitive adhesive for modular products • 35-40 yds/gal with paint roller • 28-33 yds/gal with 1/16" x 1/32" x 5/64" U-notch trowel • 4 gallons • 35 lbs (48/pallet) • 10 lbs/95% RH 	\$
Shaw 5100	5100R / D5100	 <ul style="list-style-type: none"> • Pressure sensitive adhesive for modular products • 35-40 yds/gal with paint roller • 28-33 yds/gal with 1/16" x 1/32" x 5/64" U-notch trowel • 4 gallons • 39 lbs (48/pallet) • 11 lbs/95% RH 	\$
Shaw 5001 1 gal	5001R / D5001	<ul style="list-style-type: none"> • Pressure sensitive adhesive for modular products • 35-40 yds/gal with paint roller • 28-33 yds/gal with 1/16" x 1/32" x 5/64" U-notch trowel • 1 gallon • 9 lbs (180/pallet) • 10 lbs/95% RH 	\$
Shaw 5036	5036R / D5036	<ul style="list-style-type: none"> • Pressure sensitive adhesive with Florsept Antimicrobial for modular products • 35-40 yds/gal with paint roller • 28-33 yds/gal with 1/16" x 1/32" x 5/64" U-notch trowel • 4 gallons • 35 lbs (48/pallet) • 10 lbs/95% RH 	\$

CARPET TILE CONT.



Carpet Tile Adhesive			Price
Floor Grip	AVQNU AVPHU 	40"x150' = 55 sq yds/roll	\$\$
Lokdot Applicator	o1LDA 	LokDot applicator	\$
Lokdot Adhesive Sleeve	o1LDR	<ul style="list-style-type: none"> • 250 sq yds/sleeve • 8 rolls/sleeve (3lbs) • 12 sleeves/case (31 lbs) • 10 lbs/95% RH/12 pH 	\$
Lokdot Adhesive Half Sleeve	LOK4D	<ul style="list-style-type: none"> • 125 sq yds/sleeve • 4 rolls/sleeve (2 lbs) • 24 sleeves/case (31 lbs) 	\$\$
LokWorx	LWRX1	<ul style="list-style-type: none"> • Box - 500 adhesive squares/roll • Case - 10 boxes of 500 squares/roll • 5 lbs/85% RH/12 pH 	\$

LokWorx Application

Adhered Applications	Tile Size	Tabs Required Per Tile	Tabs Required Per Box of Tile
	24 x 24	Apply 1 square in the center of the tile	12
18 x 36	Apply 2 squares in the center of the tile	20	
9 x 36	Apply 2 squares in the center of the tile	40	
12 x 48	Apply 2 squares in the center of the tile	36	
<i>Installations will require extra LokWorx for perimeter tiles. Installations must be rolled with 75 lb roller.</i>			
Floating Applications	Tile Size	Tabs Required Per Tile	Tabs Required Per Box of Tile
	24 x 24	Apply 1/4 square to corner of 24 x 24 tile	12
18 x 36	Apply 1/4 square to 4 corners and 1/2 square per long side of 18 x 36 tile	20	
9 x 36	Apply 1/4 square to 4 corners and 1/2 square per long side of 9 x 36 tile	40	
12 x 48	Apply 1/4 square to 4 corners and 1/2 square per long side of 12 x 48 tile	36	
<i>Perimeter of floating installation must be secured. An additional 25% LokWorx tabs should be ordered to account for perimeter cut tiles, site layout and tile shapes/sizes. Installations must be rolled with 75 lb. roller.</i>			




RESILIENT

COMMERCIAL APPLICATIONS

Resilient Adhesive for Commercial Applications			Price
Shaw 4100	5407V - 1 gal unit system 5408V - 1 gal roll system 212VS - 4 gal sheet system 259VS - 4 gal unit system 	<ul style="list-style-type: none"> • LVT/LVP and fiberglass backed sheet goods adhesive • 175-225 sq ft/gal with a 1/16" x 1/32" x 1/32" U-notch trowel • 1 gallon - 10 lbs (36/pallet) • 4 gallon - 40 lbs (48/pallet) • Up to 95% RH • 0 VOCs 	\$ \$ \$ \$
Shaw 4151	5033V	<ul style="list-style-type: none"> • Pressure sensitive adhesive universal adhesive. • 35-40 yds/gal with paint roller • 28-33 yds/gal with 1/16" x 1/32" x 5/64" U-notch trowel • 4 gallons • 40 lbs (36/pallet) • 10 lbs/99% RH 	\$
Shaw S150	5405V - sheet system 5406V - unit system 	<ul style="list-style-type: none"> • Spray on adhesive for LVT/LVP and fiberglass backed sheet goods • 150 sq ft/can • 22 oz (1008/pallet) • Up to 95% RH • 0 VOCs 	\$ \$

RESILIENT CONT.



RESIDENT LIVING APPLICATIONS

Resilient Adhesive for Resident Living Applications			Price
Shaw 200	5003V - 1 gal 5004V - 4 gal 	<ul style="list-style-type: none"> • Transitional acrylic adhesive for LVT/LVP • Porous: 140-170 sq ft/gal with 1/16" x 1/16" x 1/16" square notch trowel • Non-porous: 175 - 225 sq ft/gal with 1/16" x 1/32" x 1/32" U-notch trowel • Extended flash time • 1 gallon - 9 lbs (36/pallet) • 4 gallon - 34 lbs (48/pallet) • Up to 99% RH 	\$ \$
Shaw Kwik Flash LV	5005V - 1 gal 5006V - 4 gal 	<ul style="list-style-type: none"> • Transitional acrylic adhesive for LVT/LVP • Porous: 140-170 sq ft/gal with 1/16" x 1/16" x 1/16" square notch trowel • Non porous: 175 - 225 sq ft/gal with 1/16" x 1/32" x 1/32" U-notch trowel • 1 gallon - 9 lbs (36/pallet) • 4 gallon - 34 lbs (48/pallet) • Up to 90% RH • Fast flash time 	\$ \$
DP99 Adhesive	105MM - 1 gal 106MM - 4 gal 	<ul style="list-style-type: none"> • Up to 99% RH • Use with Luxury Vinyl Tile and Plank, Fiberglass Sheet Goods, VCT and PVC Backed Carpet Tile • Extended Working Time • Up to 12 pH • Superior Tack • Water-resistant • LEED V4 Contributing 	\$ \$








SEAM SEALER

Resilient Seam Sealer			Price
Shaw 4000	4000R / D4000	<ul style="list-style-type: none"> • Broadloom seam sealer • 550-600 lin ft /qt • 1 quart • 22 lbs (12 qts/case) 	\$
Shaw 8300	8300R / D8300	<ul style="list-style-type: none"> • Moisture impervious seam sealer • 138-150 lin ft • 8 oz bottle • 8.5 lbs (12/case) 	\$
Resilient Seam Sealer	115VS	<ul style="list-style-type: none"> • Chemical weld seam sealer • Available in kits containing 2-25 gram bottles of seam sealer and one plastic applicator bottle • 150 lin ft of seam 	\$




UNDERLAYMENT

Resilient Underlayment			Price
GroundWorks	5000V (jumbo roll)/ 5430V (standard roll) 	<ul style="list-style-type: none"> • Noise reduction underlayment • 100 sf/roll standard, 450 sf/roll jumbo • 1 roll • 13/lbs (80/pallet) • For Set It and Lay it products, glue GroundWorks then glue LVT/LVP • For Lock It products, float GroundWorks then float LVT/LVP • Not to be used for grouted LVT installations 	\$ \$
Hush II	5428V 	<ul style="list-style-type: none"> • Noise reduction underlayment • 280 sf/roll • 1 roll • 42/lbs (12/pallet) • For Set It and Lay it products, glue Hush II then glue LVT/LVP • For Lock It products, float Hush II then float LVT/LVP • Not to be used for grouted LVT installations 	\$



WALL BASE & TRANSITIONS

Resilient Transitions			Price
4" Cove Base Rubber	5008V	 <ul style="list-style-type: none"> • Height: 4" • Gauge: 1/8" • Length/piece: 120' • Pieces/box: 1 	\$
1/8" Cove Base Vinyl	5009V	 <ul style="list-style-type: none"> • Height: 4" • Gauge: 1/8" • Length/piece: 48" • Pieces/box: 30 	\$
.080" Cove Base Vinyl	5010V	 <ul style="list-style-type: none"> • Height: 4" • Gauge: .080" • Length/piece: 48" • Pieces/box: 30 	\$
Quarter Round Profile Rubber	5022V	 <ul style="list-style-type: none"> • Height: .75" • Gauge: .75" • Length/piece: 8' • Pieces/box: 12 	\$
Pinless Metal Track	5012V	 <ul style="list-style-type: none"> • Length/piece: 6' • Pieces/carton: 6 • Aluminum finish 	\$
Snap Down T-Molding 1-1/8"	5013V	 <ul style="list-style-type: none"> • Length/piece: 12' • Pieces/carton: 3 • Thermoplastic rubber 	\$
Snap Down T-Molding 2"	5014V	 <ul style="list-style-type: none"> • Length/piece: 12' • Pieces/carton: 3 • Thermoplastic rubber 	\$


WALL BASE & TRANSITIONS

Resilient Transitions			Price
Tile Carpet Reducer 1/8"	5015V 	<ul style="list-style-type: none"> • Length/piece: 12' • Pieces/carton: 3 • Thermoplastic rubber 	\$
Resilient Carpet Reducer	5016V 	<ul style="list-style-type: none"> • Length/piece: 12' • Pieces/carton: 3 • Thermoplastic rubber 	\$
Carpet Reducer 5/16"	5017V 	<ul style="list-style-type: none"> • Length/piece: 12' • Pieces/carton: 3 • Thermoplastic rubber 	\$
Wall Base Tube Adhesive	5018V	<ul style="list-style-type: none"> • 30 oz/tube • 55-60 lin ft/cartridge • Open time: 20-30 minutes • Sold by the case - 12 tubes/case 	\$
Wall Base Adhesive	5018V	<ul style="list-style-type: none"> • 1 gallon • 220-240 lin ft/gallon with 1/8" x 1/8" V-notch trowel • Open time: 20-30 minutes 	\$
Transition Tape	5011V	<ul style="list-style-type: none"> • Roll size: 1" x 25' 	\$

FLOOR PREPARATION

Floor Preparation			Price
Shaw 9050	Broadloom - 9050R / D9050 Tile - D905U Resilient - 5002V 	<ul style="list-style-type: none"> • Floor primer • 350-500 sf/gal with a medium nap roller • 4 gallons • 37 lbs (48/pallet) 	\$ \$ \$
Shaw 9000	Broadloom - 9000R / D9000 Tile - D900U/900RU	<ul style="list-style-type: none"> • Barrier coat - floor encapsulation • 27-30 yds/gal with a paint roller/brush • 2.5 gallons • 28 lbs (36/pallet) 	\$ \$
Tack Abatement	Broadloom - 6200R / D6200 Tile - D620U/J620U 	<ul style="list-style-type: none"> • Adhesive detackifier • 300 sf/gal with a medium nap roller • 4 gallons • 35lbs (48/pallet) 	\$ \$
Wall Base Tube Adhesive	Broadloom - 6200R / D6200 Tile - D620U/J620U	<ul style="list-style-type: none"> • 30 oz/tube • 55-60 lin ft/cartridge • Open time: 20-30 minutes • Sold by the case - 12 tubes/case 	\$ \$

FLOOR PREPARATION

Floor Preparation			Price
Kovara MBX	5432V	<ul style="list-style-type: none"> • Moisture suppression underlayment for tile & LVT/LVP • 720 sf/roll • 5' x 144' roll • For Set It and Lay It products, float Kovara then glue LVT/LVP • For Lock It products, float Kovara then float LVT/LVP • Up to 99% RH 	\$
Kovara 95	5431V	 <ul style="list-style-type: none"> • Moisture suppression underlayment for tile & LVT/LVP • 720 sf/roll • 5' x 144' roll • For Set It and Lay It products, float Kovara then glue LVT/LVP • For Lock It products, float Kovara then float LVT/LVP • Up to 95% RH 	
Kovara Tape	5433V	<ul style="list-style-type: none"> • Seam tape for use with VS MBX • 1 roll of tape per roll of MBX • 180 lin ft • 12 rolls/carton 	
Kovara DS 4" Tape	5435V	<ul style="list-style-type: none"> • Double sided seam tape for use on all seams of MBX • 2 rolls of tape per MBX roll • 100 lin ft • 12 rolls/carton 	